

Building Code Act, 1992
Loi de 1992 sur le code du bâtiment
ONTARIO REGULATION 332/12

Last amendment: O. Reg. 191/14.

Section: **3.8.3. Design Standards**

3.8.3.1. Accessibility Signs

(1) Where a *building* is required to have a *barrier-free* entrance, signs incorporating the **International Symbol of Access** shall be installed to indicate the location of,

(a) that entrance,

(b) ramps located in a required *barrier-free* path of travel serving that entrance, and

(c) an exterior passenger loading zone conforming to Sentence 3.8.2.2.(3), if one is provided.

(2) Where a washroom, elevator, telephone or parking area is required to accommodate persons with disabilities, it shall be identified by a sign consisting of the **International Symbol of Access** and such other graphic, tactile or written directions as are needed to indicate clearly the type of facility available.

(3) Where a washroom is not designed to accommodate persons with disabilities in a *storey* that is required by Article 3.8.2.1. to have a *barrier-free* path of travel, signs shall be provided to indicate the location of a washroom required to be *barrier-free*.

(4) Signs incorporating the **International Symbol of Access** shall be installed where necessary to indicate the location of a *barrier-free means of egress*.

(5) Where a wall mounted tactile sign is provided in a *building*, characters, symbols or pictographs on the sign shall be located not less than 1 200 mm and not more than 1 500 mm above the finished floor.